



GENERAL GRAPHIC



Padding Presses

PAD ABOUT PADDING PRESS

This versatile unit maximizes shop space and pad production. The **Pad About** pads up to 10,000 11" wide sheets. Convenient rotating table eliminates the need to lift paper stacks. Stand allows for moving padding unit to where job is or moving out of the way when not in use. Constructed of 3/4" select white maple with welded steel frame and quality casters.

Overall dimensions: 60"H x 28"W x 24"D.
Shipping weight: 115 lb.
Ships UPS.

Code: **PAD-ABOUT**



PRODUCTO PAD PADDING PRESS

The table-top version of the **Pad - About**. Maximizes production space by sitting on counter. Can pad up to 10,000 sheets 11" wide. Constructed of 3/4" select white maple wood. Overall dimensions: 30"H x 28"W x 18"D. Shipping weight: 54 lb.


Code: **PRODUCTO**



ECONO-PAD PADDING PRESS

The **Econo-Pad** pads up to 8,000 sheets 8 1/2" wide. Carousel base rotates 360°. Clamping system allows for adjustable pressure. Extra padding board sets available for higher production levels. Overall dimensions: 28"H x 23"W x 15"D. Shipping weight: 30 lb.

Code:
ECONO-PAD Pad Press
ECONO-X Extra unit



ULTRA PAD PADDING PRESS



Heavy duty padding press with durable quick release cast iron clamps. The 360° rotation allows for high production while using a minimum of counter space. The Ultra Pad holds 10,000 8 1/2" wide sheets. Constructed of white maple for added strength. Overall dimensions: 30"H x 22"W x 15"D. Shipping weight: 43 lb.


Code: **ULTRA-PAD**

PP-2 PAD PRESS

An economical, efficient, easy to use padding press. Pads up to 8,000 8 1/2" wide sheets at one time. Press is tilted backward to allow for jogging of paper. Overall dimensions: 26"H x 25"W x 16"D. Extra pressure units available for added output.



Code:
PP-2 20 1/2" Padding Press
PP-2X Extra pressure unit



Padding Supplies

GENERAL GRAPHIC PAD ADHESIVE

A pure synthetic resin adhesive for padding all grades and weights of paper, with or without backing. Recommended for use with all General Graphic Padding Presses. Non-hazardous. Available in white or red. Keep from freezing.



Code: White: **PA-QW** quart
PA-GW gallon
Red: **PA-QR** quart
PA-GR gallon

GENERAL GRAPHIC FAN-A-PART ADHESIVE

An economically priced Universal Fan-A-Part Adhesive. Water soluble, ready to use, fast drying. Available in both quarts and gallons.



Code: **FA-Q** quart
FA-G gallon

MAGIC GLUE FAN-A-PART PAD ADHESIVE

Universal carbonless pad adhesive for NCR, 3M and Mead forms. Separates easily. Recommended for all General Graphic Padding Presses.



Code: **MG-Q** quart
MG-G gallon

PAD BRUSHES



Soft bristle brush makes padding easy. Available in two sizes.

Code: **PB-1** 1" wide
PB-2 2" wide

PAD COUNTERS



Adjustable pad counter available in sizes 2" or 5" capacity. Set tongue depth to desired thickness and insert into pad.

Code: **PADCT-2** 2" capacity
PADCT-5 5" capacity

PAD KNIFE



Specially made for cutting pads. Extra-thin oyster shaped blade with rosewood handle.

Code: **101K-3**

PADDING KIT

An excellent starter kit when purchasing a new padding press. Contains all the tools necessary to pad. Includes one quart of white padding adhesive, a pad knife, pad brush and 2" pad counter.



Code: **PAD-KIT**

PADDING CHIP BOARD



Quality chip board used for interleaving of pads. Available in two sizes.

Code: **CB-8** Chip Board 8 1/2" x 11" 480 sheets/pkg
CB-11 Chip Board 11" x 17" 240 sheets/pkg

3 Spindle Paper Drills

FP-IV Auto 3 Spindle Electric Paper Drill



The **FP-IV-Auto Paper Drill** is a high capacity 3-hole drill with a paper capacity of 4" or approximately 1,000 sheets of 20 lb bond.

The center head is fixed and the outer two heads are adjustable from 2 1/4" to 4 3/4". The table has self centering guides for placement of paper. Paper size ranges from 3 1/2" to 17" wide. Back margin is adjustable up to a 3 1/2" depth. Table size is 18 1/4" x 14 3/8". Paper drills are available from 1/8" (3 mm) to 3/8" (9 mm) in diameter.

The **FP-IV-Auto** is equipped with a moving table that has two stop bars. The first stop bar has adjustable stops so that if drilling jobs with more than 3 holes, this can be set up to accommodate these jobs. The preprogrammed bar has settings for two stops (6 hole) and 12 stops (36 hole).

The **FP-IV-Auto** has a unique design. The belt driven spindles are powered by three 1/4 horse power motors. The up and down movement of the head is driven by a 3/4 horse power electric motor. Heads are activated by two safety push buttons located on the front control panel.

Power requirement is 110 volts.

Code: **FPIVA** Three Spindle Automatic Drill

FP-IVT 3 SPINDLE ELECTRIC PAPER DRILL

The **FP-IVT** is the table top 3 spindle drill with a drilling capacity of up to 2 1/2". The center head is fixed and the outer two heads are adjustable from 2 1/4" to 4 3/4". The table has self centering guides for placement of paper. Paper size ranges from 3 1/2" to 17" wide. Back margin is adjustable up to a 3 1/2" depth. Table size is 18 1/4" x 14 3/8". Paper drills are available from 1/8" (3 mm) to 3/8" (9 mm) in diameter.

The **FP-IVT** is equipped with a moving table that has two stop bars. The first stop bar has adjustable stops so that if drilling jobs with more than 3 holes, this can be set up to accommodate these jobs. The preprogrammed bar has settings for two stops (6 hole) and 12 stops (36 hole).

The **FP-IVT** has a unique design. The belt driven spindles are powered by three 1/4 horse power motors. As an added safety feature, when the drill head is in the up position, the motor does not run. Power is 110 volts.

Code: **FP-IVT** Three Spindle Table Top Drill



| Model: | FP-IVA: | FP-IVT: |
|------------------------------|--|--|
| Operation | Two button automatic control | Hand powered |
| Power | 3 - 110 Volts 1/4 H.P. 1 - 110 Volts 3/4 H.P. | 3 - 110 Volts 1/3 H.P. |
| Drill Capacity | 4" (1/4" Diameter or larger) | 2 1/2" recommended but can do 4" (1/4" Diameter or larger) |
| Drill Diameter | 1/8" (3 mm) to 3/8" (9 mm) | 1/8" (3 mm) to 3/8" (9 mm) |
| Drill Bit Style | Style "FP-100" | Style "FP-60" |
| Distance Between Drill Heads | 2 1/4" to 4 3/4" center head fixed | 2 1/4" to 4 3/4" center head fixed |

Single Spindle Paper Drills



FP100LS-AUTO

The Model **FP100LS-AUTO** is a unique single spindle paper drill. This is a preprogrammed paper drill that includes the most common drilling patterns. Simply set the program to 1, 2, 3, or 4 hole drilling. Push the start buttons and the drill automatically drills and moves the paper to complete the drilling cycle. Once cycle is completed, drill will automatically shut off.

Drill capacity is 4" or approximately 1000 sheets of 20 pound bond. With this added capacity and hands free operation, this single spindle drill is more cost effective than many 3 spindle drills. Drill bits are available from 1/8" to 1/2".

Powered by 110 volt motor.

Code: **FP100LSA** Automatic Single Spindle Drill

FP PAPER DRILL

The **Model FP60 Paper Drills** are the next generation in paper drills and punches. Two models, **The FP60-LS and the FP60** offer various features to meet your needs.

Both models can drill up to 2 1/2" or over a ream of paper at one time. The "Chuckless" system has the drill bit connected directly to motor shaft. This eliminates vibration of drill bits for smoother operation, easier drilling and fewer jams. As an added safety feature, the motor is only in operation when drill handle is lowered.

The **FP60-LS** Drill is equipped with an adjustable stop-gauge to allow drilling for customized or standard hole patterns. The drill is also equipped with a pre-programmed bar so that drill stops are already set for standard drilling patterns. These include single hole, two hole, and three hole patterns. The operation is fast and accurate. Just press the table release to move the paper to the next stop.

The **FP60-LS** is shipped with one 1/4" drill bit. Optional drill bits may be added in sizes ranging from 1/8" to 1/2". Drill bits are the standard Style "A" bits which are easily available. The drill is powered by a 1/3 HP 110 volt motor.

The **FP60** is an economically priced alternative to the FP60LS. The FP60 does not come with the preprogrammed bar. The drill takes a Style "F" Drill Bit which is available in sizes 1/8", 3/16", 1/4", 5/16" and 3/8".



FP60-LS special table has both a preprogrammed stop bar with 1, 2, 3, 4, and 22 holes and a bar with adjustable stops.

Specifications:

Power: 110 V
Table Size: 18.4" W X 12.8" D X 16" H
Shipping Weight: 90 lb

Code: **FP-60**
FP-60LS

| Model: | FP60: | FP60-LS: |
|-----------------|----------------------------------|--|
| Power | 110 Volts 1/4 H.P. | 110 Volts 1/3 H.P. |
| Drill Capacity | 2 1/2" (1/4" Diameter or larger) | 2 1/2" (1/4" Diameter or larger) |
| Drill Diameter | 1/8", 3/16", 1/4", 5/16", 3/8" | 1/8" to 1/2" |
| Drill Bit Style | Style "F" | Style "A" 2" or 2 1/2" |
| Table Operation | Moving table, adjustable stops | Moving table, adjustable stops and preprogrammed stop bar. |

General Graphic Drill Bits

General Graphic carries a full range of drill bits for most paper drills manufactured today. General Graphic Drill Bits are made of tempered steel to **maintain sharpness** and **prevent clogging**.

GENERAL GRAPHIC/CHALLENGE STYLE "A"



Fits all **Style "A"** drills including Challenge, General Graphic FP60LS, Mark-3 and Skylab models, Graphic Products, Ottawa, Superspeed, and some Rosback drills. Sizes from 1/8" to 1/2" diameter in increments of 1/32". Drill capacity may be less than 2" on smaller diameter drill bits (sizes less than 1/4").

| Code: | Diameter: | Code: | Diameter: |
|----------------|-----------|-----------------|-----------|
| DBA1-8 | 1/8" | DBA5-16 | 5/16" |
| DBA5-32 | 5/32" | DBA11-32 | 11/32" |
| DBA3-16 | 3/16" | DBA3-8 | 3/8" |
| DBA7-32 | 7/32" | DBA13-32 | 13/32" |
| DBA1-4 | 1/4" | DBA7-16 | 7/16" |
| DBA9-32 | 9/32" | DBA1-2 | 1/2" |

Extended (2 1/2" capacity) drill bits for Challenge multiple-head drills, models EH-3A, EH-3C, MS-5 and MS-10. Also the FP60LS can use the 2 1/2" capacity. Now available in some millimeter sizes.

| | | | |
|-----------------|-------|-----------------|--------|
| DBA1-4L | 1/4" | DBA1-2L | 1/2" |
| DBA5-16L | 5/16" | DBA-6.5L | 6.5 mm |
| DBA3-8L | 3/8" | DBA-8L | 8.0 mm |
| DBA7-16L | 7/16" | | |

For the FP-100LS and FP100LS-Auto Model Drills an extended Style "A" drill bit is used. FP-100LS drill bits are available in millimeter sizes only.



| Code: | Size |
|----------------------|-----------------|
| DB-FLS100-14 | 6.5 mm x 90 mm |
| DB-FLS100-516 | 8.0 mm X 104 mm |
| DB-FLS100-38 | 9.0 mm X 104 mm |

TEFLON COATED DRILL BITS STYLE "A"



Teflon coating allows for smoother operation. Eliminates clogged drill bits and the use of wax. Fits same drills as **Style "A"** drill bits.

| Code: | Diameter: | Code: | Diameter: |
|----------------|-----------|----------------|-----------|
| TCB-18 | 1/8" | TCB-38 | 3/8" |
| TCB-316 | 3/16" | TCB-716 | 7/16" |
| TCB-14 | 1/4" | TCB-12 | 1/2" |
| TCB-516 | 5/16" | | |

Extended 2 1/2" capacity.

| | | | |
|-----------------|-------|-----------------|-------|
| TCBL-14 | 1/4" | TCBL-716 | 7/16" |
| TCBL-516 | 5/16" | TCBL-12 | 1/2" |
| TCBL-38 | 3/8" | | |

MODEL FP-60 AND 100

Style "F" specifically designed for the General Graphic Model FP-60 and FP-100 Paper Drill.



| | | | |
|-----------------|----------------|--|--------------|
| DB-F1-8 | 1/8" (3 mm) | DB-F5-16 | 5/16" (8 mm) |
| DB-F3-16 | 3/16" (4.5 mm) | DB-F3-8 | 3/8" (9 mm) |
| DB-F1-4 | 1/4" (6.5 mm) | Drill Bits are manufactured in metric; measurements in inches are the closest approximation. | |

Extended lengths for FP100 and FP-IV 3 Spindle Drills



| Code: | Size |
|--------------------|-----------------|
| DB-F100-14 | 6.5 mm x 90 mm |
| DB-F100-516 | 8.0 mm X 104 mm |
| DB-F100-38 | 9.0 mm X 104 mm |

Drill Bits/Sharpeners

LAWSON



Style "B" Lawson Drill Bits with 2" capacity.

Code: **DB-B1-4** 1/4"
DB-B5-16 5/16"

BAUM/NYGREN DAHLY



Style "C" for Baum/Nygren Dahly with 2" capacity.

Code: **DB-C1-8** 1/8"
DB-C3-16 3/16"
DB-C1-4 1/4"
DB-C5-16 5/16"
DB-C3-8 3/8"
DB-C1-2 1/2"

EURO STYLE



Style "E" for European style drill including Uchida, MBM, Standard Citoborma and Corta.

Code: **DB-E1-4** 6 mm x 50 mm
DB-E5-16 8 mm x 50 mm

LASSCO-SPINNET



Style "L" for Lassco-Spinnet drills with 1" capacity.

Code: **DB-L1-4** 1/4"
DB-L5-16 5/16"
DB-L3-8 3/8"

Before ordering be sure to note your model. Many Lassco Drills use the 2" capacity bit (same as Style "A").

MARTIN YALE/LIHIT/IMPERIAL

Style "J" for Martin Yale 101 and Lihit drills. Drilling capacity is 3/4".



Code: **DB-J1-4** 1/4"



Style "K" for Martin Yale 202, Imperial, and Lihit Drills. 2" capacity.

Code: **DB-K1-8** 1/8" (3 mm)
DB-K3-16 3/16" (4.5 mm)
DB-K1-4 1/4" (6.5 mm)
DB-K5-16 5/16" (8 mm)

LIL-BIT DRILL SHARPENER



Designed for most single-spindle drills. Place sharpener under drill bit and bring down drilling head. No need to remove drill bit. Magnetic base for convenient storage and immediate availability. Not for use on hydraulic drills. Replacement sharpening head with new magnetic base available.

Code:
LIL-BIT Drill Sharpener
LB-HEAD Replacement head
 w/magnetic base

MS-1 DRILL SHARPENER



Precision sharpener with self-seating, lathe type construction on a heavy duty base. Accepts style A and L drill bits Comes with suction feet for stability (these can be removed and the sharpener can be mounted). Constructed with a solid carbide cutting head.

Code: **MS-DS**

C-THRU DRILL SHARPENER



A simple two-piece tool that sharpens style "A" hollow drill bits. Drill bit is placed in chuck and sharpened to correct level with just a couple of twists. Heavy steel construction to ensure many years of service.

Code: **D-SHARP** Drill Sharpener
SHABT Replacement
 sharpening bit

Drill Blocks/Accessories

DRILL BLOCKS


| Code: | Size: | Drill Mfg/Mdl: |
|----------|------------------------------|----------------------------|
| DBL-1 | 1 1/2" diameter x 3/4" thick | Challenge JO/JF |
| DBL-2.5 | 2 1/2" diameter x 3/4" thick | Challenge EH |
| DBL-3 | 3" diameter x 3/4" thick | Challenge EH-3A/C |
| DBL-5 | 1 1/4" x 6" x 3/8" | Challenge BaumNygren-Dahly |
| DBL-FP | 1 3/16" x 13 3/4" | FP-60/FP60LS |
| DBL-FPIV | 1 1/8" x 18" | FP-100IVT/IVA |
| DBL-PIO | 2 1/4" diameter x 3/4" thick | Pioneer |
| DB-13818 | 1 3/8" diameter x 1/8" thick | Mark 3/4 |
| DB-13814 | 1 3/8" diameter x 1/4" thick | Mark 3/4 |
| DB-13834 | 1 3/8" diameter x 3/4" thick | Baum ND-1 |
| DB-I-Pad | 11 3/4" x 2 3/8" | Imperial Martin-Yale 202 |
| DB-I-101 | 11 3/4" x 1 1/16" | Imperial, Martin Yale 101 |



| Code: | Size: | Drill Mfg/Mdl: |
|-----------|-------------------------------------|-----------------------|
| DBL-UCH | 1 9/16" diameter x 1/8" thick | Uchida |
| DBL-LAS | 2 7/8" Diameter x 5/8" thick w/hole | Lassco Spinnet/EBM-1R |
| DBL-LASB | 2" x 16" x 7/16" | Lassco EBM-2. EMB-5 |
| DBL-LAS25 | 2" x 25" x 7/16" | Lassco |
| DBL-LAW | 8 1/2" X 1 1/8" x 3/8" | Lawson |
| DBL-LAWB | 24" x 1 1/8" x 3/8" | Lawson |

DRILL DRIFTS

The ideal tool for removing tapered drill bits from the drill chuck. Four styles to choose from:



Code:

DD Challenge/Lassco/Mark III
DD-JK Imperial/Martin Yale/ Lithit
DD-FP FP-60 Drill
DD-FP-LS FP-60LS Drill

SPIN-EZE

This tetra lube oil based lubricant provides a tough durable surface to your drill bits. It improves performance and extends drill bit life when correctly applied.



Code: **SPIN**

8

DRILLEASE




Stick lubricant for drill bits. Prevents burning and clogging. Lengthens life of drill bits. Touch lightly on tip of drill bit so wax travels up inside of shaft.

Code: **DRILL-E**

HOLLOW DRILL CHIP REMOVER

Use to remove paper chips from hollow drills. Just place under the drill bit and manually bring down head. Works on sizes from 3/16" to 1/2".



Code: **CR**

Finishing Equipment and Wire

BINDERYMATE TABLE TOP STITCHER



The BinderyMate is designed for use in flat or saddle applications. It can be mounted to the overhanging edge of a flat table surface or on the ES-200 adjustable floor stand. Machines can be ganged together so that two machines can be operated simultaneously. The Magnatek stitching head makes operation easy and jam free. Maximum stitching depth is 1/4" (up to 45 sheets of 20 lb. bond.)

Code: **BM-200** BinderyMate
BM-400 Dual BinderyMate

STITCHING WIRE



High quality galvanized wire for superior stitching jobs. Available in both round and flat on five pound spools. The #25 wire is on a narrow plastic spools which is ideal for use on the BinderyMate. Other sizes available.

Code: **WI-25** #25 round
WI-28 #28 round
WI-2024 #20 x 24 flat
WI-2025 #21 x 25 flat
WI-2125 #20 x 25 flat


BOOKLETMAC BOOKLET MAKER



The BookletMac is a semiautomatic booklet maker for producing professional booklets quickly and easily. The BookletMac staples and folds in a single operation. Capacity is 20 sheets of 20 lb bond for books up to 80 pages. Can make booklets from letter, legal and 11" x 17" paper. Can do up to 800 booklets per hour.

Code: **BOOKMAC**

BUSINESS CARD CUTTER



Simple to operate yet provides fast production with up to 50 cards per minute. Handles up to 110 lb. Index. Ideal for short run business card jobs.

Code: **BCC** Business Card Cutter

LETTER FOLDER

This high speed letter folder can fold up to 4,000 sheets of 60 pound bond paper per hour. Paper tray will hold up to 50 sheets of 20 pound bond. Unique feature allows for hand feed of up to 3 stapled sheets. Will accommodate letter and legal size sheets. Includes desk stand and metal paper catch.



Code: **D10560** Letter Folder

Rapid Staplers, Accessories and Supplies

RAPID 106 STAPLER

The **Rapid 106 Stapler** is the standard stapler for all print and copy shops. The flexible design allows for either flat stapling or saddle stapling for booklets. The 106 stapler can staple sets from 2 sheets to 20 sheets (saddle), or 40 sheets (flat) of standard bond paper. Stapler can be triggered either by convenient foot pedal or depth adjustable triggers. Side guides allow for precise staple location.



Shipping weight 17 lb.

Code: **106E** Rapid 106E Electric Stapler

Replacement Parts for 106E/101E

Code:

106-HEAD Replacement stapling head 106E
101-HEAD Replacement stapling head 101E
ALIGN-106 Head alignment tool for 106E
ALIGN-101 Head alignment tool for 101E



The **Rapid 106E Staplers** have the ability to be ganged together so that more than one stapler can be activated at once. Besides the staplers, the accessories needed are either the Saddle Runner or two Narrow Tables, and an Optic Cable to connect the Staplers. As a convenience these items can be purchased as a kit when ganging two 106E Staplers together.

Code: **RUNNER** For saddle stapling only.
OPTIC Cable to connect staplers.
NT Narrow 2.4" table for flat or saddle
RO-KIT Includes Runner and Optic Cable
NTO-KIT Includes two Narrow Tables and Optic Cable

STAPLES FOR RAPID STAPLER



Designed for use in electric staplers. Chisel point and extra strong wire help eliminate jamming. Used

for flat and saddle stapling in the Rapid 100, 101, 105, and 106 staplers. The 1/4" staples can be used in booklet makers utilizing the Rapid Stapling Head such as the Plockmatic or the Rapid Long-Reach stapler.

Code: **210-1-4** 1/4" 5000/box
210-5-16 5/16" 5000/box

RAPID 105 STAPLER

A thin electric stapler for office and packaging stapling. Two or more staplers can be connected in series with fiber optic cable for stapling simultaneously. Patented electronic controlling, pneumatic damping which gives an agreeable and quiet sequence of operation. The 105E Stapler can be triggered either by convenient foot pedal or depth adjustable triggers.



Code: **105E**

Staplers and Staples

RAPID 49 STAPLER



Staples up to 170 sheets of paper. Steel frame construction. Uses staple sizes from 5/16" to 3/4". Adjustable throat depth to 2 3/4". Economically priced.

Code: **49**

LONG REACH STAPLERS



Long reach steel frame hand stapler with locking adjustable throat. Available in either 12" or 16" throat. Convenient holes drilled in frame for attachment to a counter for self-service use. Uses code **210-1-4** 1/4" and **210-5-16** 5/16" staples.

Code: **12-12** 12" throat depth
12-16 16" throat depth

RAPID 9 STAPLER



A rugged and durable heavy duty stapler. Adjustable throat depth up to 3 1/2". Easy back load system. Will staple up to 100 sheets. Uses Rapid Staples 9-8, 9-10, 9-12, and 9-14.

Code: **9**

PLOCKMATIC STAPLE CARTRIDGE

Plockmatic Staple Cartridges hold 5000 staples. Designed for Models 75, 88, and 102 Booklet makers. Will also fit the Xerox ASF 92 and ASF 135, MBM 7500, 8800 and DocuTech 102.



Code: **PL-CART**

PLOCKMATIC STAPLE HEAD

Replacement head for Plockmatic Bookletmakers including the Baum System 60 and Multigraphics.



Code: **PL-HEAD**

STAPLES - RAPID 49/RAPID 9

Code:

| | | |
|-------------|--------------|----------|
| 9-8 | 5/16" length | 5000/box |
| 9-10 | 3/8" length | 5000/box |
| 9-12 | 1/2" length | 5000/box |
| 9-14 | 9/16" length | 5000/box |
| 9-16 | 5/8" length | 5000/box |
| 9-20 | 3/4" length | 1000/box |



Staple length is approximate as sizes are in millimeters.

SCCR STAPLES

For Bostitch EHFS Staplers and other staplers with the 62 Head. Box contains 5000 staples.

| | | |
|-------|--------------------|--------------|
| Code: | SCCR25.1-4 | 1/4" length |
| | SCCR25.3-8 | 3/8" length |
| | SCCR25.1-2 | 1/2" length |
| | SCCR25.9-16 | 9/16" length |



STAPLER STANDS



Portable mounting stand to accommodate 101 and 106 Electric Staplers. Telescope construction offers simple height adjustment for sitting or standing position. The ES-200 accommodates two Rapid 106 Staplers ganged together or one BinderyMate Stitcher.

Code:

| | |
|---------------|--------------|
| ES-100 | Single Stand |
| ES-200 | Double Stand |

Shrink Wrap

SHRINK AND SEAL SYSTEMS



The Model **PP48ST** is a unique "All-In-One" L-Sealer and Shrink Tunnel. The unit features a 12 1/2" X 18 1/2" seal area. New "Band Seal Technology" will seal and shrink PVC or Polyolefin Shrink Films with no smoke or residue. Includes Magnetic Hold Down. Heavy duty Plexiglass hood fully encloses sealing and shrinking operation for maximum operator safety. Power requirement is 110 volt, 20 amps. Shipping weight is 275 lbs. Dimensions are 49" L x 26" W x 45" H.

The Model **PP76ST** has increased seal dimensions of 16" x 22". Maximum film width is 24". The PP76ST comes with a Magnetic Hold Down and Heavy duty Plexiglass hood.

Power requirement is 220 volt, 25 amps. Shipping weight is 350 lbs. Dimensions are 56" L x 30" W" x 45" H.


Code: **PP48ST** 12.5" x 18.5" Shrink System
PP76ST 16" x 22" Shrink System



The Model **PP-1519EC Series** is an economic 15" W x 19" L-sealer. This L-Sealer and Tunnel combination system is 76" in total length. The tunnel features a fully recirculating air chamber, digital temperature control, pin wheel hole punch, 8 ft power cord (110 volt models only) and casters. The 1519ECM can be purchased with optional space saver turnaround conveyor. Models are as follows:

Code: **PP1519EC** Economy System
PP1519ECM With Magnet Hold Down
PP1519ECMC With Magnet Hold Down and Power Discharge

Bar Sealers



The Model **PP450H** and **PP600H** are table-top shrink bar sealers which come complete with heat gun. Machines run on 110 volts.

| | PP450H | PP600H |
|------------------|--------|--------|
| Shrink Width: | 18" | 24" |
| Shipping Weight: | 26 lbs | 33 lbs |

Code: **PP450H** 18" Sealer w/Heat Gun
PP600H 24" Sealer w/Heat Gun
HG Heat Gun

Shrink Wrap Film

Film can be used on all types of applications. For both manual and semi-automatic shrink wrap machines. Two types of film are available depending on preference and type of machine.

DYNACLEAR-PVC Shrinks at lower temperature, film great for all general purposes applications. Comes in 2,000 foot rolls.

QUICK SHRINK is a Polyolefin film that is a low cost all around general purpose shrink film. Comes in 3,500 foot rolls.

| Code: | Gauge: | Width x Length: |
|-----------------|--------|-----------------|
| SW12-75 | 75 | 12" x 2,000' |
| SW16-75 | 75 | 16" x 2,000' |
| SW18-75 | 75 | 18" x 2,000' |
| SW12-75P | 75 | 12" x 3,500' |
| SW16-75P | 75 | 16" x 3,500' |
| SW18-75P | 75 | 18" x 3,500' |

RAPID 23 STAPLER



The Rapid 23 is an extremely durable tacker for fine wire staples. Suitable for securing thin materials, such as fabrics, paper and labels, and other tasks that need only short staples. Ideal for use with wide format material.

Code: **R23** Stapler
13-6 1/4" Staples 5000/pkg
13-8 5/16" Staples 5000/pkg

RAPID 31 STAPLER



The Rapid 31 has interchangeable anvils for sealing padded bags, boxes, sacks and other light packages. Easy to load and clear, the all steel stapler with a nickel plated finish features an ergonomically designed handgrip with finger stop for added comfort. Uses staples from 5/16" to 1/2" in size.

Code: **R31** Rapid 31 Stapler
73-8 Staples 5/16" 5000/pkg
73-10 Staples 3/8" 5000/pkg
73-12 Staples 1/2" 5000/pkg

X-ACTO ERGO UTILITY KNIFE



The X-Acto Ergo Utility Knife can be used either as a cutting knife or, by turning the blade, as a scraper. It is ergonomically designed and blades are easy to replace. Package includes two blades.

Code: **X3275** X-Acto Ergo Utility Knife
X292 Blades 5/pkg
X692 Blades 100/pkg

TRANSPARENT TAPE



A general purpose clear plastic film tape for envelope closure and sealing. Works well for mending, packaging and holding in graphic arts applications. Has anti-static coating like red litho tape.

Code: **TP-38** 3/8" x 72 yards
TP-12 1/2" x 72 yards
TP-34 3/4" x 72 yards
TP-1 1" x 72 yards

MASKING TAPE



Low cost economy tape. Available in three sizes. Comes with 3" core, 60 yard length.

Code: **MT-1-2** 1/2"
MT-3-4 3/4"
MT-1 1"

BOX SEALING HAND DISPENSER



Holds 2" roll of packing tape.

Code: **TD-1**

PACKING TAPE




Clear packing tape, 2" wide by 110 yards long.

Code: **PT-2**

Keencut Trimmers/Cutters

SABRE AND JAVELIN GENERAL PURPOSE CUTTER BARS



These cutters are ideal for cutting PVC foam board up to .25", foam centered board up to .5", vinyl, plastic film, and cardboard. Available in sizes from 40" to 120". The **Sabre** includes an aluminum base for cutting on. **Sabre Stand Pack** includes Stand, Waste Catcher and Roll Dispenser

Javelin Cutting Bar's unique design allows for guaranteed straight cutting within 2 mm. Can be mounted on the **Big Bench** mounting table (not shown).

| | | | |
|---------------|------------|---------------|--------------------------|
| Code: | | Code: | |
| SAB40 | 40" Sabre | JAV40 | Javelin 40" Cutting Bar |
| SAB60 | 60" Sabre | JAV60 | Javelin 60" Cutting Bar |
| SAB100 | 100" Sabre | JAV100 | Javelin 100" Cutting Bar |
| SAB120 | 120" Sabre | JAV120 | Javelin 120" Cutting Bar |

40SP Stand Package
60SP Stand Package
100SP Stand Package
120SP Stand Package

ROTARY CUTTERS CLASSIC

The Keencut Classic rotary cutter is available in sizes from 24" to 54". The cutter is designed to cut a wide range of materials such as laminates, mounting board, (not foam board), and paper. Optional accessories include roll dispenser, stand, waste catcher and extended squaring arm.



Code: **RC24** 24" Rotary Cutter
RC30 30" Rotary Cutter
RC36 36" Rotary Cutter
RC48 48" Rotary Cutter
RC54 54" Rotary Cutter
C36SP Floor Stand, Waste Catcher for 36" Cutter
C48SP Floor Stand, Waste Catcher for 48" Cutter
C54SP Floor Stand, Waste Catcher for 54" Cutter

TECHNIC ROTARY CUTTER

The Technic Cutter has a unique subsurface cutting monorail bearing system. Two clamp rollers provide secure double clamping during cutting. Available up to 120"




| | | | |
|---------------|-----|----------------|------|
| Code: | | Code: | |
| TRC-36 | 36" | TRC-72 | 72" |
| TRC-48 | 48" | TRC-100 | 100" |
| TRC-60 | 60" | TRC-120 | 120" |

EXCALIBUR SHEET MATERIAL CUTTERS

Designed to cut all the sheet materials used in modern visual communications and picture framing industries. The Excalibur cuts vertically providing space saving convenience. The three models, 1000, 3000 and 5000 cut a variety of materials. The Excalibur 1000 is designed to cut foam board, honeycomb plastics and corrugated cardboard. In addition to these materials, the Excalibur 3000 is designed to cut hardboard, masonite, MDF and aluminum faced plastics. The Excalibur 5000 has added cutting wheels for glass, and acrylics.

The Excalibur comes standard with a maximum 63" cut. The standard model is mounted on the wall where its footprint is 96" high x 84" wide x 12" in depth. An optional freestanding kit is available.


| | |
|---------------|-------------------|
| Code: | |
| EX1000 | Excalibur 1000 |
| EX3000 | Excalibur 3000 |
| EX5000 | Excalibur 5000 |
| EX-FSK | Free Standing Kit |



Rotary Trimmers and Paper Cutters

PROFESSIONAL TRIMMERS

The Professional Trimmers are low cost rotary trimmers available in sizes from 14" to 51". They feature a self sharpening blade, see-through paper clamp, and adjustable back stop. The Professional Trimmer's ground circular blade is enclosed in a plastic housing. Larger sizes have the option of a paper roll holder and stand.



| Model: | Cut: | Capacity: | Model: | Cut: | Capacity: |
|-------------|---------|-----------|-------------|---------------|-----------|
| D550 | 14 1/8" | 12 sheets | D556 | 37 1/2" | 8 sheets |
| D552 | 20 1/8" | 12 sheets | D558 | 51" | 6 sheets |
| D554 | 28 1/4" | 12 sheets | D698 | Stand for 558 | |

PREMIUM TRIMMERS



The Premium Trimmers are high capacity rotary trimmers available from 14" to 51". They feature a self sharpening blade, see-through paper clamp, and adjustable backstops that fit on either side. The Premium Trimmer's ground circular blade is enclosed in a plastic housing for safe use. The thick walled aluminum guide bar helps assure accurate cutting. Larger sizes have the option of a paper roll holder and stand. Trimmer can handle such diverse materials as cardboard, mat board, laminating film and plastic films.



| Model: | Cut: | Capacity: | Model: | Cut: | Capacity: |
|-------------|---------|-----------|-------------|----------------|-----------|
| D440 | 14 1/8" | 30 sheets | D448 | 51 1/8" | 20 sheets |
| D442 | 20 1/8" | 30 sheets | D796 | Stand for D446 | |
| D444 | 26 3/8" | 25 sheets | D798 | Stand for D448 | |
| D446 | 36 1/4" | 22 sheets | | | |

HEAVY DUTY CUTTER

For cutting large stacks of paper at once. The Heavy Duty Cutter has a built in safety cover to prevent injury. The quick action paper clamp holds down paper for a clean burr-free cut each time. **Optional Stand** is available on all Models. The back gauge is spindle driven and self locking. Three models to choose from with capacity ranging from 200 to 700 sheets.



| Model: | Cut: | Capacity: | Table Size: | Stand Option: |
|-------------|---------|------------|---------------|---------------|
| D842 | 17" | 200 sheets | 28" x 23 1/4" | D712 |
| D846 | 17" | 500 sheets | 30" x 25 1/2" | D712 |
| D848 | 18 1/2" | 700 sheets | 27 1/2" x 32" | D718 |

Paper Cutter Accessories


MAGNETIC CUTTER PADS



Helps eliminate marking when cutting carbonless and other sensitive papers. Soft magnetic vinyl pads stick to clamp. 3" x 15" Pads.

Code: **MCP** 2/pkg

PAPER STOCK ANGLE GUIDE




Cut corners off statements, tags, etc. at up to a 45° angle. Use attachment (furnished) to cut diamond shaped angles, triangles or any other angle.

Instant setup; place angle guide against stock cutter gauge and set cutter to necessary measure.

Code: **PSA**

PAPER TRIMMERS




Vantage 12E and 18E Trimmers have automatic paper clamping, preprinted grid and spring action metal blade. Value priced.

Code: **D12E** 12" Trimmer
D18E 18" Trimmer

16

GENERAL GRAPHIC BOOK CLAMPS



Cut books quickly, safely and professionally with General Graphic Book Clamps. Made of solid cast brass, the Clamps safely hold down the folded or stitched side of booklets, pamphlets or catalogs while being trimmed in the paper cutter. This eliminates the common (and dangerous) practice of holding them down manually.

Code: **BOOK** 2/pkg

JOGGING AID



Wood Jogger Block keeps hands from blade while jogging paper against back gauge. Made of white maple. No metal screws to damage blade if accidentally cut through.

Code: **JA-8** 8" long x 3" high
JA-12 12" long x 3" high



The **D124 Professional Trimmer 24"** comes with wood base and hand clamp with finger guard. Will cut up to 15 sheets.

Code: **D124** 24" Trimmer

Paper Cutter Blades and Sticks

PAPER CUTTER KNIVES



High quality inlaid steel. High speed steel available on some sizes.

CHALLENGE

| Code: | Model: | Size: |
|----------------|--------------------|------------------------------|
| CB-S150 | Spartan Model S150 | 18 5/16" x 1 11/16" x .25 6H |
| CB-20 | Model 20/Titan 200 | 23 3/4" x 3" x .375" 4H |
| CB-26 | Titan 265/265H | 30 3/4" x 4" x .375" 12H |
| CB-30 | 305 MC/MCP/MPX | 34 3/4" x 4" x .375" 12H |

MBM/TRIUMPH/IDEAL

| | | |
|--------------|-----------|-----------------------------|
| CB-15 | 3905/3915 | 17.488" x 1.535" x .236" 5H |
| CB-18 | 4850 | 22.444" x 3.543" x .393" 5H |
| CB-25 | 6550 | 29.763" x 3.543" x .393" 5H |


POLAR

| | | |
|---------------|-------------|--------------------------|
| CB-P72 | 71, 72C, 75 | 34.173" x 4.094" x .381" |
| CB-P76 | 76EL | 36.417" x 4.330" x .381" |
| CB-P92 | 92 EL, 92CE | 43.110" x 4.724" x .461" |

Other cutter sizes available - prices on request.

PAPER CUTTER STICKS

Soft plastic cutter stick. Triumph sticks have holes drilled in the end. Challenge and MBM/Ideal are soft white plastic; Polar and Imperial are a harder red plastic. One dozen sticks per package.



| | Code: | Size: |
|---------------------------|-----------------|--------------------------|
| CHALLENGE | CS-C16 | 16" x 1/2" square |
| | CS-C20 | 20" x 1/2" square |
| | CS-C26 | 26" 1/2" x 1/2" square |
| | CS-C30 | 30" 1/2" x 1/2" square |
| MBM /TRIUMPH/IDEAL | CS-T14 | 14 5/8" x 9/16" square |
| | CS-T15 | 15 5/16" x 9/16" square |
| | CS-T18E | 22 7/8" x 9/16" square |
| | CS-T20 | 25 3/8" x 9/16" square |
| | CS-T25 | 30 1/8" x 9/16" square |
| | IMPERIAL | CS-IMP-18 |
| CS-IMP-23 | | 24 3/4" x 5/16" x 25/32" |
| POLAR | CS-P72 | 3/16" x 3/8" x 28 3/4" |
| | CS-P76 | 3/16" x 3/8" x 30 1/4" |
| | CS-P82 | 3/16" x 3/8" x 32 5/8" |
| | CS-P90 | 3/16" x 3/8" x 35 3/4" |
| | CS-P92 | 3/16" x 3/8" x 36 1/2" |
| | CS-P115 | 3/16" x 3/8" x 45 5/8" |

Other sizes available - prices on request.

PRINTERS APRON

A tough, well-made apron of blue denim fabric with large utility pockets.



Code: **APRON**


SILICONE SPRAY

Especially formulated to aid in the press room and bindery to run smudge-free work. Prevents sticking or binding without greasy or oily build-up on metals. Non-flammable and odorless. Contains no environmentally harmful CFCs.

Code: **SILICONE** 11 oz



FOLDING BONE



Used for creasing/folding paper. Ideal when you need to fold sets. Strong and durable, Available in 8" to 9" and 6" lengths., or 8" with one end pointed.

Code: **BONE-8-9** 8"-9" rounded
BONE-6 6" rounded
BONE-8P 8" pointed one end

Paper Stock Cart and Utility Trucks

PAPER STOCK CART



The Paper Stock Cart is the ideal tool to move paper around, from copier to finishing equipment, from cutter to folder. The Paper Stock Cart holds up to 11" X 17" size paper. Center angled shelves assist in jogging paper. Handles allow for easy movement. Holds up to 20" high stacks in each of its four bins. Heavy duty casters have 500 pound capacity. Comes with two locking casters to stabilize fully loaded cart. Attractive office gray finish. Shipping weight is 98 pounds.

Code: **PSC-1** Paper Stock Cart

UTILITY TRUCKS

A quality built bindery truck with heavy-gauge, square-tube steel frame with welded joints. Has two large shelves constructed of white maple for extra strength. Rolls smoothly on four inch rubber, double ball bearing swivel casters, two of which are locking. Up to two additional shelves can be added. Comes in two sizes: 21" x 26" shelf which has a shipping weight of 95 lb. or 24" x 39" shelf which has a shipping weight of 150 lb. Cart is 58" tall.

Code: **UT-1** 21" x 26"
UT-1X 21" x 26" additional shelf

UT-2 24" x 39"
UT-2X 24" x 39" additional shelf



GENERAL GRAPHIC STOCK TRUCKS



DUPLICATOR TRUCK
20 TRAY - 12" x 18"

The most practical and functional pressroom drying and storage rack built. It holds twenty delivery dolly-size 12" x 18" trays. Place a tray in the Duplicator delivery dolly and run press. When tray is filled it is returned to the rack. Another tray is placed in the delivery dolly and the process is repeated. Overall size 28" wide, 36" deep and 63" high. Shipping weight 130 lb.

Code: **DT-20**



DUPLICATOR TRUCK
8 TRAY - 12" x 18"

For all 11" x 17" printing presses. The portable drying/storage rack has eight 12" x 18" removable shelves. This allows printed material to be transferred from press to rack without being touched by hands. Rolls easily, even when filled to capacity. Rugged construction of welded square tube steel. Heavy-duty casters, two with brakes for stability. Overall size, 28" wide, 18" deep, and 48" high. Shipping weight 110 lb.

Code: **DT-8**



STOCK RACK
16 TRAY
SIZES 14" x 20" AND 17" x 22"

Functional, portable shelf drying racks made for larger presses. Printed sheets are never touched as they are removed from the delivery dolly. The 14" x 20" Stock Rack is 22" wide, 28" deep and 63" high. Shipping weight is 133 lb. The 17" x 22" Stock Rack is 25" wide, 35" deep and 63" high. Shipping weight is 165 lb.

Code: **DR-1** 14" x 20"
DR-2 17" x 22"



UTILITY TABLE

Work horse utility table built for many different jobs. Heavy gauge steel, economical support for copy machines, small duplicating machines, paper folders and paper drills. Comes with two locking and two non-locking casters. Top shelf is reversible. Size is 24" wide, 36" deep and 35" high. Shipping weight is 53 lb.

Code: **3200-CA** Table with casters

Roll Laminators and Supplies

RSL TABLE TOP ROLL LAMINATOR

There are three models of the RSL table-top laminator. The basic models are available in either 15" or 27" wide formats and laminate up to 5 mil thick. These come with silicone hot rollers, touch inlay speed and temperature controls. Uses 1" core material, 110v power.

The RSL-2702 is an all in one digital finisher. The RSL-2702 can do both hot and cold laminating. It is capable of handling multiple core sizes and film up to 10 mil in thickness.

Code:

- RSL-380** 15" Laminator
- RSL-2701** 27" Laminator
- RSL-2702** 27" Hot/Cold Laminator



MODEL RSH WIDE FORMAT LAMINATOR (Heated Rollers)



The Model RSH laminators are hot/cold laminators available in 45" and 65" widths. These laminators will laminate up to 9.8 feet per minute and mount materials up to 0.6" thick. Digital speed and temperature control, reverse feature and cross cutter are standard features. Comes with standard remote control foot pedal and mouse. Uses 2 1/4" or 3" core material, 220v power.

Code:

- RSH-1151** 45" Roll Laminator
- RSH-1651** 65" Roll Laminator

RSH-380 15" HIGH CAPACITY LAMINATOR

The RSH-380 is a 15" high capacity laminator that can laminate up to 16.4 feet per minute. The laminator can hold film up to a diameter of 11". It can handle lamination from 1 mil to 10 mil in thickness and foam board up to 3/16" thick. Digital soft touch keypad allows easy operation and function control of temperature, speed and stored programs.

Code: **RSH-380**



ROLL LAMINATING MATERIAL

| CODE FOR 2 1/4" CORE: | CODE FOR 1" CORE: | Size: |
|--------------------------|----------------------|----------------------|
| 12-035 | 12-035-1 | 12" x 500' x 1.4 mil |
| 12-075 | 12-075-1 | 12" x 250' x 3.0 mil |
| 12-125 | 12-125-1 | 12" x 200' x 5.0 mil |
| 18-035 | 18-035-1 | 18" x 500' x 1.4 mil |
| 18-075 | 18-075-1 | 18" x 250' x 3.0 mil |
| 18-125 | 18-125-1 | 18" x 200' x 5.0 mil |
| 25-035 | 25-035-1 | 25" x 500' x 1.4 mil |
| 25-075 | 25-075-1 | 25" x 250' x 3.0 mil |
| 25-125 | 25-125-1 | 25" x 200' x 5.0 mil |
| 40-125 | 40-125-1 | 40" x 200' x 5.0 mil |

Pouch Laminators and Supplies

ULTRA PHOTO 13

The ultimate in pouch laminating. The Ultra Photo **13** is a 6 roller laminator with 4 of the rollers heated. The laminator comes equipped with an electronic thermostat for digital temperature control. It has speed control and reverse action. The Ultra Photo 13 will laminate materials up to 13 1/4" wide at speeds up to 59" per minute. It can accommodate pouches up to 10 mil in thickness. Includes ready light and auto shut off when not in use. All metal construction.

Code: **PL-UP13** Ultra Photo 13 Laminator



Specifications

| | |
|-------------------------------------|------------------|
| Electrical Power | 110 volts |
| Number of Rollers | 6 |
| Number of Heated Rollers | 4 |
| Maximum Lamination Thickness | 10 mil |
| Shipping Weight | 39 lbs |

PROLAM 320

The ProLam **320** is ideal for heavy duty laminating with its extruded aluminum heat plates, steel gears, and metal cover. It has independent temperature control and motor and power switches. The PL320 features 4 silicone rollers that allow for carrier free operation. Maximum 12.5" laminating width. Also available in 4" wide model, the PL-100



Code: **PL-320** 12.5" Professional Laminator
PL-100 4" Professional Laminator

APL-330 13" PHOTO LAMINATOR



The Model APL-330 is a 13" wide photo laminator that has 2 heated rollers, 2 pressure rollers and a hot shoe. The Model APL-330's heater automatically shuts off for roller protection. Rollers automatically stop after auto reverse. Can use both hot and cold film.

Code: **APL-330**

LAMINATING POUCHES

| Code: | Size: *100 per package except as noted |
|-----------------|--|
| LAM-1-5 | Credit Card 2 1/8" X 3 3/8" 5 mil |
| LAM-1-10 | Credit Card 2 1/8" X 3 3/8" 10 mil 50/pkg |
| LAM-2-5 | Business Card 2 1/4" X 3 3/4" 5 mil |
| LAM-2-10 | Business Card 2 1/4" X 3 3/4" 10 mil 50/Pkg. |
| LAM-3-5 | Driver's License 2 3/8" X 3 5/8" 5 mil |
| LAM-3-10 | Driver's License 2 3/8" X 3 5/8" 10 mil 50/pkg |
| LAM-4-5 | Luggage Tag 2 1/2" X 4 1/4" 5 mil |
| LAM-4-10 | Luggage Tag 2 1/2" X 4 1/4" 10 mil 50/pkg |
| LAM-35-5 | Index Card 3 1/2" X 5 1/2" 5 mil |
| LAM-5-5 | Jumbo Size 4 3/8" X 6 1/2" 5 mil |
| LAM-6-3 | Letter Size 9" X 11 1/2" 3 mil |
| LAM-6-5 | Letter Size 9" X 11 1/2" 5 mil |
| LAM-6-10 | Letter Size 9" X 11 1/2" 10 mil 50/pkg |
| LAM-7-3 | Legal Size 9" X 14 1/2" 3 mil |
| LAM-7-5 | Legal Size 9" X 14 1/2" 5 mil |
| LAM-8-3 | Menu Size 11 1/2" X 17 1/2" 3 mil |
| LAM-8-5 | Menu Size 11 1/2" X 17 1/2" 5 mil |
| LAM-8-10 | Menu Size 11 1/2" X 17 1/2" 10 mil 50/pkg |
| LAM-LTL | Luggage Tag Kit—Luggage Tags and Loops 5 mil 50-50/pkg |

Binding Supplies

LAMINATOR CLEANING BAR

A light abrasive bar that will not damage rollers. Ideal for removing built up adhesives on laminator rollers.

Code: **LCB**



LAMINATOR CLEANER

A mild cleaner that easily lifts dirt and dried adhesives from laminator rollers. Also works well with most folder rollers to remove built up toner.

Code: **LAM-P** pint



LAMINATOR CLEANER KIT

The Standard Laminator Cleaner Kit contains two 4" laminating cleaner bars and a tack cloth. The Deluxe Laminator Cleaner Kit contains 2 laminating cleaner bars, one pint of Laminator Cleaner, one brush and one tack cloth. Everything you need for cleaning your roll laminator.

Code:

LAM-KIT
LAM-KITD

Standard Cleaning Kit
Deluxe Cleaning Kit



LAMINATOR ROLL CUTTER

Slip the foot of the tool under the material to be cut and push for a straight, clean cut.

Code: **K353**



RBX-100 TWIN LOOP WIRE BINDER

The RBX-100 is a twin loop wire binding machine capable of doing both 2:1 and 3:1 wire binding. The heavy duty machine has a capacity of punching 100 sheets at one time. To operate, load paper and select punch pitch. For 2:1 punch, move table to preset place and punch again. For 3:1, three punches are required. Includes scale to determine size of wire and built in closer. This unique design allows for greater production.



Code: **RBX-100** Binding Machine
RBX-P Replacement Punches
RBX-PP Plastic Punch Pad (3/pkg)

Twin Loop Wire Binding

| B = Black W = White | Size 3:1 100 per Box |
|------------------------|----------------------|
| ATB-14 ATW-14 | 1/4" - 20 sheets |
| ATB-516 ATW-516 | 5/16" - 40 sheets |
| ATB-38 ATW-38 | 3/8" - 55 sheets |
| ATB-716 ATW-716 | 7/16" - 70 sheets |
| ATB-12 ATW-12 | 1/2" - 90 sheets |
| ATB-916 ATW-916 | 9/16" - 110 sheets |
| B = Black W = White | Size 2:1 50 per Box |
| ATB-58 ATW-58 | 5/8" - 130 sheets |
| ATB-34 ATW-34 | 3/4" - 150 sheets |
| ATB-78 ATW-78 | 7/8" - 170 sheets |
| ATB-1 ATW-1 | 1" - 180 sheets |

BINDING COVERS


| Code: | Description: | Code: | Description: |
|---------------|-------------------------|---------------|--------------------------|
| CCS-5 | Crystal Clear 5 mil | MSC-10 | Matte/Suede Clear 10 mil |
| CCS-7 | Crystal Clear 7 mil | MGC-10 | Matte/Gloss Clear 10 mil |
| CCS-10 | Crystal Clear 10 mil | BL-16 | 16 pt Black Leatherette |
| WGC | White Grain Cover Stock | NL-16 | 16 pt Navy Leatherette |
| BKGC | Black Grain Cover Stock | BCS-10 | Black Vinyl Leatherette |
| BLGC | Blue Grain Cover Stock | NCS-10 | Navy Vinyl Leatherette |

All quantities are 100/package. Other colors available.

COIL CRIMPERS

Cuts and crimps coil sizes from 5 mm to 33 mm. Recommended for use with coil inserters that do not have automatic crimping. Red dot facing upward indicates the proper position for crimping.

Longer crimp length prevents coil from unwinding out of book.



Code: **CRIMPER**

FP SERIES PAPER HOLE PUNCHES

MODEL FP-1XLS



The **FP-1(X)LS** uses hollow drills to punch up to 300 sheets at one time. Table slides to position set by adjustable stops. These stops allow for set-up of two, three or four hole punching. Punch bits are available in sizes 3/16", 1/4", 5/16" and 3/8" Handles up to 14" wide paper.

Code: **FP-1XLS** Manual Hole Punch w/movable table

MODEL FP-1



The **FP-1(B)** has a punching capacity of 300 sheets of paper. Ideal for punching where one or two holes are needed. Punch bits range in size from 1/8" to 5/16" Adjustable back margin. Will handle plastics and laminates as well.

Code: **FP-1B**

PUNCH BITS

| | | |
|----------------|-------------------|---------------------------|
| FP-1XLS | CODE: | SIZE: |
| | FP-PLS-316 | 3/16" Hole Punch |
| | FP-PLS-14 | 1/4" Hole Punch |
| | FP-PLS-516 | 5/16" Hole Punch |
| | FP-PLS-38 | 3/8" Hole Punch |
| | FP-PP | Plastic Punch Pad (3/pkg) |

| | | |
|--------------|-----------------|----------------------------|
| FP-1B | FP-P-18 | 1/8" Hole Punch |
| | FP-P-316 | 3/16" Hole Punch |
| | FP-P-14 | 1/4" Hole Punch |
| | FP-P-516 | 5/16" Hole Punch |
| | FP-P1 | Plastic Punch Disc (3/pkg) |

SFP-II 3-HOLE PAPER PUNCH



The **SFP-II** is a heavy duty 3-hole punch capable of punching 300 sheets of 20 lb. bond at one time. Comes standard with 5/16" punch bits but can take punches from 1/8" to 3/8". Three hole punching is at 4 1/4" centers. As an option 4 holes can be punched with 80 mm centers. Back gauge is adjustable.

| | |
|---------------------|---------------------------|
| Code: SFP-II | Heavy Duty Punch |
| SFP-3 | 3.5 mm Punch Bit (1/8") |
| SFP-6 | 6 mm Punch Bit (1/4") |
| SFP-8 | 8 mm Punch Bit (5/16") |
| SFP-9 | 9 mm Punch Bit (3/8") |
| SFP-P | Plastic Punch Pad (3/pkg) |

TWO-HOLE PUNCH & BINDER

The Duo-35 is a two hole binding system that allows for the binding of books, documents, or legal briefs up to 350 sheets (1 1/2") thick.



Place the plastic binder on the DUO-35 table. Position document on top and punch. Insert proper size binding rivets into holes and place plastic binder on top. Bring handle down to secure binding rivets. Rivets have an added advantage over typical binding posts in that they are hollow and can be placed in arch file.

Starter unit comes complete with four lengths of binding rivets and plastic binding strap.



| | |
|---------------------|---------------------------|
| Code: DUO-35 | Dual Hole Binding Machine |
| DUO35-PP | Punch Pads (6/pkg) |
| DUO35-PB | Replacement Punch Bit |

| Code: | Rivet Size/Sheets: | Code: | Rivet Size/Sheets: |
|-----------|----------------------|-----------|----------------------|
| R1 | 2-30 shts/1000 pkg | R6 | 200-240 shts/100 pkg |
| R2 | 30-50 shts/500 pkg | R7 | 240-290 shts/100 pkg |
| R3 | 50-90 shts/300 pkg | R8 | 290-350 shts/100 pkg |
| R4 | 90-140 shts/200 pkg | PW | Plastic Binder (100) |
| R5 | 140-200 shts/150 pkg | MW | Metal Binder (100) |

Coil Binding Equipment

RBX A200 AUTO PUNCH



The RBX-A200 Auto Punch is an innovative punching system that is capable of punching up to 200 sheets of paper at one time. The machine can take a variety of punch dies that are easily changed without the use of tools. The machine is shipped with one die.

As with other binders in the RBX series, the A200 uses hollowed punch bits which allow for higher capacity. Once paper is loaded, push the safety buttons. The A200 is pre-programmed to complete the punch pattern.

Depending on the die, two or three punches will be necessary. Punch stroke time is 5 seconds making this an economic tool for long run jobs. Weight is 175 lbs. Electrical is 220 volt 1/phase.

Code: **RBXA200**

AVAILABLE DIE PATTERNS

| Hole Pitch | Hole Pattern | Hole Size In MM | Maximum Length | Maximum Thickness |
|-------------------|---------------------|-----------------|----------------|-------------------|
| 2:1 | ○ ○ ○ ○ | 6.5/5.0 Dia | 20.8" | 200 |
| 3:1 | ○ ○ ○ ○ ○ ○ | 4.4/5.0 Dia | 20.8" | 200 |
| 4:1 | ○ ○ ○ ○ ○ ○ ○ ○ | 4.4 Dia | 20.8" | 200 |
| 3:1 | ○ ○ ○ ○ ▽ ○ ○ ○ ○ | 4.4/20 Dia | 14.8" | 200 |
| 2:1 | □ □ □ □ □ □ | 5.5 x 5.5 Sq | 14.8" | 80 |
| 3:1 | □ □ □ □ □ □ □ □ | 4.0 x 4.0 Sq | 20.8" | 80 |
| 12.79 mm 9/16" | □ □ □ □ □ □ | 3.5 x 7.2 Rec | 20.8" | 80 |
| 4:1 | □ □ □ □ □ □ □ □ □ □ | 4(w) x 4.8(d) | 20.8" | 80 |

Above only represents some of the punches available.

CBX-100 DESKTOP AUTOMATIC PUNCHING MACHINE

The CBX-100 is the world-first desktop heavy duty punching machine innovated to punch through Max. 100 Sheets (80gsm, 20lb) at a time. Its production can reach up to ±80,000 sheets (round hole) per hour. The CBX-100 comes with your choice of a wide range punching dies. These dies are interchangeable so that all kinds of hole patterns are available to punch. Replacement of the punching dies is very quick and simple to do. The CBX-100 is constructed of heavy cast iron. Hollow punch bits on the dies can be replaced quickly and simply. Equipped with two button control and micro sensors for safety.

SPECIFICATIONS:

- Max. Punching Capacity: 100 sheets of 20 lb. paper
- Max. Punching Length: up to 14"
- Weight: 281 lbs. (net)
- Dimension: 512mm(W) x 514mm(D) x 550mm(H)
- Power: 400 watts, 110/220/230V



COINER-340 COIL INSERTER

The CoiNer-340 Coil Inserter is an automatic desk top coil inserter that is capable of inserting coil into books up to 150 sheets. Coil is inserted by bringing the stack of paper against the inserting wheel. The machine is equipped with four interchangeable mandrels dependent on the size of coil used. It features margin hole adjuster and a "C-Form" paper stop to jog the paper for easy insertion. Interchangeable coil to hole guide so that you can do 3:1 or 4:1 coil. Maximum binding length is 13". The CoiNer-340 features speed control, forward and reverse switch and driving wheel pressure regulator. Weight is 12 lbs.




Code: **C340**

Comb and Coil Equipment and Supplies

SCB HEAVY DUTY PLASTIC COMB BINDER

The SCB Comb Binders are unique in that they use a rectangular hollow punch that allows punching up to 60 sheets of paper at one time for the SCB-60 and 80 sheets at one time for the SCB-80.



The difference between the two models is the amount of paper that can be punched and the number of punch pins. The SCB-60 has 11 punches (requiring 2 punch cycles) while the SCB-80 has 7 punches (requiring 3 punch cycles). Paper movement is accomplished by simple knob rotation. Includes spreader for binding books up to 2" thick.

Code: **SCB-60** 60 sheet capacity
SCB-80 80 sheet capacity

COILMAC COIL PUNCHES AND INSERTERS



The CoilMac series of coil punches and inserters offers both an electric punch version and a manual punch version. Both have electric roller inserting. The CoilMac Manual can punch up to 17 sheets of 20 lb paper at one time. The electric model can punch up to 20 sheets at one time. Both are capable of binding books up to 7/8" thick. Pitch is 4:1.

Code: **COILMAC-M** Manual Punch
COILMAC-E Electric Punch

PLASTIC COMB BINDINGS

Packaged 100 to a box. Most colors available. Please specify when ordering.

| Code: | Size: | Code: | Size: |
|---------------|-------|---------------|--------|
| BC-316 | 3/16" | BC-12 | 1/2" |
| BC-14 | 1/4" | BC-916 | 9/16" |
| BC-516 | 5/16" | BC-78 | 7/8" |
| BC-38 | 3/8" | BC-1 | 1" |
| BC-716 | 7/16" | BC-112 | 1 1/2" |

BINDERY WORKSTATION TABLE



The Bindery Workstation Table is designed to complement the production of our General Graphic paper drills and punches. The Workstation includes 5 sliding drawers and two side tables that can be folded down when not in use. Overall dimensions with side tables out is 52" wide by 24" deep. The side tables are 16" x 24". Overall height is 26 1/2". This lower height gives added leverage and aids in the operation of the FP Series Drills and Punches. It comes fully assembled. Weight is 80 lbs.


Code: **WS**

PLASTIC COIL 4:1 PITCH

| Code: | Size: | Color: | Code: | Size: | Color: |
|-------------|--------|--------|-------------|--------|--------|
| C6B | 1/4" | Black | C16B | 5/8" | Black |
| C6W | 6MM | White | C16W | 16MM | White |
| C6C | | Clear | C16C | | Clear |
| C8B | 5/16" | Black | C20B | 3/4" | Black |
| C8W | 8MM | White | C20W | 20MM | White |
| C8C | | Clear | C20C | | Clear |
| C10B | 3/8" | Black | C22B | 7/8" | Black |
| C10W | 10MM | White | C22W | 22MM | White |
| C10C | | Clear | C22C | | Clear |
| C11B | 7/16" | Black | C25B | 1" | Black |
| C11W | 11MM | White | C25W | 25MM | White |
| C11C | | Clear | C25C | | Clear |
| C13B | 1/2" | Black | C28B | 1 1/8" | Black |
| C13W | 13MM | White | C28W | 28MM | White |
| C13C | | Clear | C28C | | Clear |
| C14B | 9/16" | Black | C32B | 1 1/4" | Black |
| C14W | 14MM | White | C32W | 32 MM | White |
| C14C | | Clear | C32C | | Clear |
| C15B | 19/32" | Black | | | |
| C15W | 15MM | White | | | |
| C15C | | Clear | | | |

Banding, Perfing and Numbering

PRO BANDER BANDING PRESS



Fast, efficient, professional way to bundle folded jobs. The Pro Bander's solid cast iron construction is built tough to last for years. To band, just place pre-cut tie strips or General Graphic Cohesive Bands on bottom plate. Load the Pro Bander with folded sheets. Compress folded sheets. The positive lever-action clamp locks automatically as it compresses. Wrap or tie into a neat, easy to count, easy to handle bundle. Handles folded stacks up to 12". Shipping weight 47 lb.

Code: **BAND-A**

COHESIVE BANDING STRIPS

Strong, self-sealing paper bands work right along with General Graphic's Banding Press. Available in two convenient sizes, 22" x 1 7/8" wide and 30" x 1 7/8" wide. Five-hundred strips per package.

Code: **BAND-22** 22" long strips
BAND-30 30" long strips

NUMBERING MACHINE

Tabletop six wheel numbering machine can number up to eight part carbonless forms. Number consecutive, duplicate, triplicate, four times, six times, twelve times or repeat action. Includes one gothic head with bottle of ink and five ink pads.



Code: **NR** Numbering Machine
BI Black Ink
RI Red Ink

D370 CARD MAKER

An economical rotary trimmer that will cut, perforate, score and deckle cut up to 3 sheets of paper. Ideal for those small jobs. Comes with 4 interchangeable heads.



Code: **D370**


PERF AND SCORE II

Tabletop perforating and scoring machine. Handles stock from 20 lb. to cover stock. Perf wheel has 10 perfs per inch. Includes one each perforation wheel and one score wheel. Available in two sizes.



Code: **PSM** 19 1/2" sheet capacity
PSM-25 25" sheet capacity

MODEL 570 PERFING/CUTTING




The Personal Trimmer Kit will trim up to 7 sheets of paper at one time. Cut length is 12 1/2". Automatic paper clamp and self sharpening blade. Comes with 4 interchangeable blades: Straight, Cut, Perf, Wavy, and Deckle.

Code: **D570K**



PERF/SCORE/TRIMMER

A three in one trimmer. This multifunction trimmer can cut up to 32 sheets of copy paper, card stock or 1/8" foam board. Additional blades allow for perforating and scoring. Maximum cutting width is 25"



Code: **DC-250** 25" Trimmer
B-01 Replacement Cutting Blade
B-02 Replacement Perfing Blade & Scoring Blade (one each)

Round Corner Machines

MODEL 20 CORNER ROUNDER



The Model 20 is designed to handle paper and plastic products. It has a capacity of up to a 1/2" of stock per cut with its shear cutting action. Compact 5" x 10-1/2" size makes it easy to use. Comes with choice of standard die.

Code: **CR-20** Machine w/Standard Cutting Unit



| Standard Dies | | Special Dies | |
|---------------|----------|--------------|-----------|
| Code: | Size: | Code: | Size: |
| CU18 | 1/8" Die | CU516 | 5/16" Die |
| CU14 | 1/4" Die | CU58 | 5/8" Die |
| CU38 | 3/8" Die | CU34 | 3/4" Die |
| CU12 | 1/2" Die | CU1 | 1" Die |

Other size dies available.

MODEL 50

A floor model cutter designed to cut paper and plastic. Conveniently located foot pedal for fast and economical corner cutting. Accepts standard, special and large size cutting units. Electric version operated with a foot-pedal allows for up to 30 strokes per minute. One standard size included. Uses same dies as Model 20.

Code: **CR-50** Standard Floor Model
CR-50P Electric Floor Model



MODEL 60

The Model 60 is designed especially for the sign industry. It features a one ton press capacity and interchangeable tables, which allow for quick changes of radii. Four table sizes available (1/2", 3/4", 1", 1-1/2"). Shear capacity of up to .080 half hard aluminum. Weight: 38 lbs Shipping weight: 46 lbs Dimensions: 12" x 9"




Code: **CR-60** Round Corner Machine Sign
60-12TA 1/2" Die and Table
60-34TA 3/4" Die and Table
60-1TA 1" Die and Table
60-112TA 1-1/2" Die and Table

NICE-N-EZ CORNERING MACHINE



The Nice-n-EZ is a precise and smooth cornering machine for cutting up to 1" of stock. Ideal for rounding corners on literature, business cards, photographs, negatives and plastic. Handle has a 5" wide grip and is extended in length to provide greater leverage. Large base for better balance. Comes with choice of blade and die.



Code: **EZ** Cornering Machine
EZ-14 1/4" Blade **EZD-1** Die 1/4"-3/8"
EZ-18 1/8" Blade **EZD-2** Die 1/8"-1/2"
EZ-12 1/2" Blade **EZ-3** Plastic Pad
EZ-38 3/8" Blade

DIAMOND ROUND CORNER MACHINE

Round corner covers, laminates, business cards, PVC, polyester, and various papers. Maximum cutting capacity is 3/8". Includes 1/4" radius knife. Specially designed to cut through multiple sheets at a time with the least effort and with minimum die depreciation. Other size dies available.



Code: **DRC-1** Diamond Round Corner Machine

CRAFTSMEN ROUND CORNER MACHINE

Heavy duty table top round cornering machine. Cuts through lifts of paper up to 2 1/2" in thickness. Self-adjusting spring operated clamp precedes the knives and holds lift firmly in place. Includes a 3/8" radius knife/die set. Extra knives available in 1/4", 1/2", and 3/4" radius. Shipping weight is 65 lbs.



Code: **CRC** Craftsmen Round Corner Machine
RC-14 1/4" Round Corner Knife and Die
RC-38 3/8" Round Corner Knife and Die
RC-12 1/2" Round Corner Knife and Die
RC-34 3/4" Round Corner Knife and Die

Joggers and Creasing Machine

LJ-2 BIN JOGGER

Perfect for quick printers and mail rooms. Jogs a full ream of standard copy paper or one-half ream of 11" x 17". Ideal for checks and envelopes. Table size is 4"W x 7"D x 13"H. Shipping weight is 32 lb.



Code: LJ-2

HANDY-JOG JOGGERS

The Handy-Jog is a low cost, highly effective jogger that fits into the most cost-conscious budget. With its small footprint, the Handy-Jog can be placed beside any machine. Unlike other low cost joggers that have motors, bearings, and rubber couplings, the Handy-Jog has no moving parts that will wear or require maintenance.



Code: HJ Handy-Jog (8 1/2" x 11")

The **Handy-Jog** is also available in two other styles to fit the particular job.

LJ-4 TRAY JOGGER

Large table allows for perfect alignment of all forms of paper products. Table size is 17" x 17". Tilt is nonadjustable. Capacity is one ream of 11" x 17". Shipping weight is 36 lb.



Code: LJ-4

LJ-6 SPLIT BIN JOGGER

Four bins for faster sorting and collating of paper, envelopes, checks, and other materials. Table size is 18 1/2" x 10". Bins are 4" wide. Shipping weight is 37 lb.



Code: LJ-6



The Check Tray jogger has a tray divided in 3 for jogging checks.

Code:
HJ-C Handy-Jog
w/check tray

LJ-8 FLAT TOP JOGGER

Flat top jogger ideal for jogging handheld stacks of paper. Jogging area is 7" x 10".



Code: LB-8

Handy-Jog can jog paper stacks up to 3" high. Maximum stock size is 11" x 17". Dimensions are 16 1/2" (w) X 9 1/4" (d) X 14 15/16" (h).

HJ-L Handy-Jog w/large tray (11" x 17")



AUTOMATIC CREASING MACHINE

The **General Graphic TC-6012** is a high speed creasing machine designed for accurate and quick creasing. This machine has automatic feed to assure accurate feeding of stocks from 70-350 grams. Paper feed width is from 3.2" to 13.6". Paper feed length is from 3.2" to 28". Minimum creasing distance is 1/4".

The TC-6012 can feed up to 1500 sheets an hour, 2 times creasing with a 1/2" distance. With 4 time creasing and 1/4" distance, the speed is 1000 sheets an hour for standard A3 paper.

The TC-6012 has state of the art electronics that allow for 20 different programs containing a maximum of 50 steps per program. Power comes either 110 or 220 volt.

Code: TC6012



ANTI-STATIC TINSEL



Anti-Static Tinsel features solid copper bristles and offers a safe, low-cost method of eliminating static electricity. Box contains two 12 yard rolls of tinsel.

Code: **TINSEL**

IMPRESS STATIC CONTROL TREATMENT

Prevents dirt particles from adhering to treated surfaces. Eliminates friction to reduce static build-up and prevent dirt, dust, lint, and contamination.

Code: **IM-4** Impress 4 oz
IM-16 Impress 16 oz



ANTI-STATIC SPRAY

Reduces dust attraction. Helps eliminate static electricity. Use on metal rollers, feed boards, delivery trays where materials are being printed, folded, laminated or converted. Use on furniture, and carpets to eliminate static electricity around computer systems.

Code: **STATIC** Anti-Static Spray 14 oz



BANCHEEZ CLOTH

Durable, extra low-lint wipers, Bancheez Cloth wipes cleanly without contaminating. Bancheez Cloth allows superior cleaning of your pre-press equipment. Highly absorbent, solvent resistive, reusable and disposable.



Code: **BAN-PAK** 12 x 13 Wipes (50/pkg)

AIR PURIFIER



THE ONE THAT WORKS Printers Air Purifier was created especially for the pressroom. It was designed to clear the air of chemical fumes, smoke, and odors particularly prevalent in printing shops.

Unlike other appliances that electronically collect dust, pollens and smoke particles, **THE ONE THAT WORKS** filters all of the air in the press room through 340 cubic inches (6 lbs.) of activated carbon. The activated carbon acts like tiny magnets that attract chemical fumes and odors. This magnetic action is called absorption and makes activated carbon the most effective means of purifying the air. The washable dust filter, made of reticulated polyurethane foam, traps paper dust, press powder, pollens, and filters particles as small as one micron.

THE ONE THAT WORKS Model 34 will service a room up to 2,500 square feet, replacing the unpleasant air with clean healthful air every 10-15 minutes at high speed. Model 36 will service a room up to 5,000 square feet.

Code: **TOTW-34** 2,500 square feet coverage
TOTW-36 5,000 square feet coverage

CYBER-FABRIC

Magnetic Wiping Cloth

Permanently charged polymer fabric attracts dirt, dust, lint, and other particles like a magnet. Millions of microscopic loops catch the dust as you wipe it across the surface. Super-soft Cyber-Fabric allows surface safe cleaning of films, plates, drums, computer monitors, etc. IMPRESS treated surfaces allow the "magnetic" wiping fabric to remove all types of dirt, never releasing it from the "magnetic" fabric until washed in water. Cyber-Fabric is machine washable and can be reused many times.



Code: **CF** Cyber-Fabric 17" x 18" (12/Pkg)

Wide Format Supplies

MODEL 405 GROMMET PRESS

The 405 Grommet Press has a heavy duty cast iron frame. Ideal for placing grommets in a variety of material. Comes with a 5/16" die for using #1 grommets.

Specifications:

Height: 12"

Weight: 20 lbs

Bench Space: 3 1/2" x 9"

Code: **GM405**



Banner Tape

A double coated banner tape used in bonding vinyl materials. Made of 1 mil polyester coated on both sides with a very aggressive acrylic adhesive.



Code: **BTAPE** 1" x 36 yards

COTTON GLOVES

Ideal for handling wide format ink jet prints and other sensitive materials. Protects hands and materials.



Code:

GLOVE-CM medium 12 pair/package

GLOVE-CL large 12 pair/package

GLOVE-CL3 large 3 pair/package

MODEL 479 GROMMET PRESS

Model 479 Foot Powered Grommet machine offering increased productivity over the Model 405. Comes standard with a 5/16" die.

Specifications:

Height: 45"

Weight: 113 lbs

Throat Depth: 4"

Stroke: 1 3/8"

Floor Space: 14" x 20"

Code: **GM479**



COMPASS CIRCLE CUTTER

This heavy-duty compass cutter designed to cut circles from approximately 3" to 12" diameter. An excellent tool for cutting half-moon wind slits in banners. Also perfect for scribing circles necessary for the installation of recessed lighting in addition to cutting cardboard, mat board, and thin plywood. This knife uses the LB series replacement blades.



Code: **CMP-2**

GROMMETS

Used with the Model 405 and Model 479 machines. "No Hole Needed" Self-Piercing Grommets are made from heavier gauge brass than traditional sheet metal grommets. When paired with their matching washers, they pierce and set in a single action without the need for a pre-punched hole. Just place the grommet in the top set, lay the washer on the bottom set, position your work and pierce and set in one action.




Code: **SRIV** Standard #1 Grommet w/washer
500 per box .200 length

SRIVE Extended #1 Grommet w/washer
500 per box .320 length

CUTTING MATS - SELF-HEALING

Self-healing properties allow for maximum durability. The 1/8" (3 mm) thickness protects work surfaces from being damaged. Pre-printed 1/2" grid for easy sizing of paper. Sizes smaller than 36" x 48" are translucent; larger sizes are green.



Code:

CB1218 12" x 18" Cutting Mat Translucent

CB1824 18" x 24" Cutting Mat Translucent

CB2436 24" x 36" Cutting Mat Translucent

CB3648 36" x 48" Cutting Mat Green

CB4060 40" x 60" Cutting Mat Green

CB4896 48" x 96" Cutting Mat Green

Wide Format Supplies

SAFETY EDGE CUTTING BAR


Protects hand while cutting materials as well as helps to insure straight and accurate cuts. Non skid magnetic rubber base prevents slips. Easy to hold rigid lip. Hangs for storage. Graduated edge.



| | | | |
|-------------|-----------------|-------------|-----------------|
| Code: | | Code: | |
| SE30 | 30" Safety Edge | SE48 | 48" Safety Edge |
| SE36 | 36" Safety Edge | SE60 | 60" Safety Edge |
| SE42 | 42" Safety Edge | SE72 | 72" Safety Edge |

SHOP TICKET HOLDERS

Heavy-duty vinyl, sealed on three sides, metal eyelet at top for hanging. Great for frequently handled materials.



Code:

| | | |
|-----------------|-----------|------------|
| SHT-912 | 9" X 12" | 25/package |
| SHT-1218 | 12" X 18" | 25/package |

PLASTIC TRIANGLES

Clear plastic 30-60-90 degree triangle with center hole cut out for easy lifting.



| | | |
|-------|---------------|--------------|
| Code: | TRI-12 | 12" Triangle |
| | TRI-14 | 14" Triangle |
| | TRI-18 | 18" Triangle |

FOAM BOARD CUTTER

Ideal for cutting mat and foam board up to 1/2" thick. The flat support base makes clean even cuts easy. Snap on attachment gives beveled angles.



Code: **X7747**

VELCRO CUT STRIPS

Each package contains four 1" x 4" strips of adhesive backed Velcro sets. Can be used indoors for attaching large format materials, signage, etc.



Code: **V-STRIPS**

ALUMINUM T-SQUARES



One edge is graduated with the first inch in 1/32nds, thereafter in 1/16ths. The other edge is in centimeters. Two inch wide blade is constructed of instrument grade aluminum attached to a durable plastic head.

| | | |
|-------|---------------|-----------------------|
| Code: | TSQ-24 | 24" Aluminum T-Square |
| | TSQ-30 | 30" Aluminum T-Square |
| | TSQ-36 | 36" Aluminum T-Square |
| | TSQ-48 | 48" Aluminum T-Square |

DISPLAY AND HANGING HARDWARE

Gripper Sign Holders

Adhesive base, 3" length
100/pkg
#108524 1/2" opening
#108526 1" opening



Adhesive Clips

1" x 1" adhesive back. Will hold material up to .187" thick.
100/pkg
#10805



Loop End Cable

1/32" diameter with 1/2 loop
100/pkg
#102002 12"
#102004 24"
#100205 36"



Metal Jack Chain Kit

2-48" chains and 4 "S" hooks
100 Kits/pkg
#104014



S Hooks

250/pkg
#108003 1" long
#108007 2" long
#120500 2" long white styrene



Double C Hooks

250/pkg
#108010 4"
#108011 6"
#108014 12"
#108016 18"
#108018 24"
#108021 36"
#108023 48"



Ceiling Hook & Cord

2-1/4" hook length. Polypropylene material w/white braided cord on clip.
100/pkg
#107044 4'
#107046 6'



Triway Mobile Kits

12 5/8" wide x 1/2" thick 3 sided. For 20" - 40" posters.
100/pkg
#107061



Plastic Suction Cups

100/pkg

Mushroom Head

#130605 3/4"
#130607 1 3/4"
#130608 2 1/2"



W/Metal Hook

#130809 3/4"
#130611 1 3/4"
#130612 2 1/2"

Hanging Coils

3/8" x 1 1/4" long
100/pkg



#106001

Squeeze Clips

Overall length is 2 1/2". 100/pkg
#107002



Gloves

VINYL - DISPOSABLE

Chemical resistant, ideal for people who have developed a reaction to latex gloves. Looser fitting than the latex so that hands can breathe. Tear resistant. Available as both **powdered** and **non-powdered**. Comes 100 gloves to a dispenser box.

| Code: | Size: |
|-----------------|-------------|
| GLOVE-VS | small |
| GLOVE-VM | medium |
| GLOVE-VL | large |
| GLOVE-VX | extra large |

Powdered

| | |
|------------------|--------|
| GLOVE-VMP | medium |
| GLOVE-VLP | large |



LATEX - DISPOSABLE

General Graphic latex gloves are strong medical grade latex. Lightly powdered. Packaged 100 gloves to a dispenser box.

| Code: | Size |
|----------------|-------------|
| GLOVE-M | medium |
| GLOVE-L | large |
| GLOVE-X | extra large |

NITRILE - DISPOSABLE

Disposable Nitrile Gloves are resistant to most solvents except ketones and acetone. Gives excellent protection. Precise, comfortable fit reduces hand fatigue. Packaged 100 gloves to a dispenser box.

| Code: | Size: |
|--------------|-------------|
| NIT-S | small |
| NIT-M | medium |
| NIT-L | large |
| NIT-X | extra large |



NITRILE - REUSABLE

Strong green Nitrile gloves with non-slip grip surface and soft lining. Offers same protection as disposable.

| Code: | Size: |
|--------------|--------------------|
| NBR-S | small (pair) |
| NBR-M | medium (pair) |
| NBR-L | large (pair) |
| NBR-X | extra large (pair) |

NEOPRENE - REUSABLE

Resists oils, acids, caustics, wax, alcohol, and solvents. High tensile strength. Resists abrasions and cuts. Embossed non-slip grip. Bacteriostatic lining retards perspiration odor.

| Code: | Size: |
|-------------|--------------------|
| NP-M | medium (pair) |
| NP-L | large (pair) |
| NP-X | extra large (pair) |



Cleaning and Safety Products

TROUNCE Lotion Hand Cleaner with Pumice

Pleasantly scented with fine ground pumice for deep scrubbing to remove the most difficult soils. This fast-acting formula won't irritate hands or leave a greasy residue. Professional strength.



Code: **21218** 1 gallon

FAST ORANGE Lotion Hand Cleaner with Extra Fine Pumice

Fast Orange hand cleaner quickly removes ground-in grease and grime without abrading skin like coarser pumice hand cleaners. Pure, fresh-scented natural citrus power does the cleaning. Contains aloe, lanolin, jojoba and Corn Huskers Lotion to condition skin.



Code: **25218** 1 gallon

REALLY WORKS HAND CLEANSER

Formulated for the printer, Really Works citrus based waterless hand cleanser offers fast clean-up, is non-toxic and non-polluting. Use with or without water. Natural ingredients are gentle and will not dry skin. Available with or without pumice in recyclable 4.5 pound plastic containers.



Code: **RW-NA** 4.5 lb Really Works Non-Abrasive
RW-P 4.5 lb Really Works Pumice

SCRUBS IN A BUCKET

SCRUBS in-a-Bucket® is the revolutionary pre-moistened hand cleaner. The SCRUBS® citrus-based formula combined with an absorbent, no scratching towel will loosen, dissolve, and absorb soils from your hands.



Code: **SCRUBS**

NO ROLL EAR PLUGS

New no roll design makes insertion easy. Reduced diameter and smooth outer skin provide long term comfort and avoid the stuffed up feeling. The only single use plug that screens harmful noise out but lets voice pass through. Disposable. SNR of 29db



Code: **EP-NR** 10 pair/pkg
EP-NRC 200 pair/case

EAR PLUGS W/ CORD

E-A-R Plugs offer custom-fit hearing protection with the convenience of a stay together easy to see blue vinyl cord. Packed 10 pair per package.



Code: **EP-C**

SAFETY GOGGLES

Molded of soft, clear, flexible vinyl that conforms to the face and nose, these goggles have 4 vents to eliminate fogging. With clear acetate lenses, the goggles can be worn over regular eyeglasses with complete comfort. Adjustable elastic headband is 13 mm (1/2") wide.



Code: **GOGGLE**

EYE WASH SAFETY STATION

Molded in safety green, the eye wash stations can be wall mounted for quick access to eye-wash solution when an emergency occurs. The Single Eye Wash Station is supplied with one 1000 ml (32 oz.) bottle filled with sterile, isotonic, buffered eye wash solution, ready for immediate use.



Code: **EYE**

BACK SUPPORT BELT

Provides comfortable relief from lower back strain. Easy adjustable elastic outer panels for added lower back support.

Code: **BS-M** medium
BS-L large



Safety Products

OILY WASTE CANS

Provides safe, temporary disposal of flammable liquid soaked rags or waste materials. Hinged, self-closing, full-width cover is snug fitting to guard against spontaneous combustion. Quickly opens to 60 degrees with slight pressure on full-width foot treadle (except 21 gallon). Red enamel finish.



| Code: | Capacity: | W x D x Ht (in): |
|-------|-----------|------------------------|
| 1401 | 6 gal | 11 1/4" Sq. x 14 3/4" |
| 1402 | 8 gal | 13" sq x 15 1/2" |
| 1403 | 10 gal | 13" sq x 17 3/4" |
| 1404 | 14 gal | 15" sq x 19" |
| 1456 | 21 gal | 18" diameter x 22 1/4" |

FLAMMABLE LIQUID CABINETS



Small size safety storage cabinets that are especially well suited to the print shop environment. Conforms to NFPA Code 30 and OSHA standards. Welded double wall construction, 3-point lock. Comes with leveler feet and leak proof sill. Yellow enamel finish. Cabinets feature a grounding connection and dual vents with flash arresters. Available with manual and self-closing doors. The 12 gallon and 30 gallon cabinets come standard with one shelf. The 45 gallon and 60 gallon cabinets have two. Shelves are fully adjustable and have a 500 pound capacity.


Manual Door Cabinets

| Code: | Capacity: | Size H x W x D: | Shp Wt |
|-------|-----------|-------------------------|--------|
| 5512 | 12 gal | 35" x 23" x 18" | 115 lb |
| 5530 | 30 gal | 44" x 43" x 18" | 244 lb |
| 5545 | 45 gal | 65" x 43" x 18" | 333 lb |
| 5560 | 60 gal | 65" x 31 1/4" x 31 1/4" | 447 lb |

Self-Closing Cabinets

| Code: | Capacity: | Size H x W x D: | Shp Wt |
|-------|-----------|-------------------------|--------|
| 5512S | 12 gal | 35" x 23" x 18" | 121 lb |
| 5530S | 30 gal | 44" x 43" x 18" | 255 lb |
| 5545S | 45 gal | 65" x 43" x 18" | 347 lb |
| 5560S | 60 gal | 65" x 31 1/4" x 31 1/4" | 465 lb |

AIRUG ANTI FATIGUE MATS



Provides basic anti-fatigue protection with PVC closed cell foam 3/8" thick. Relieves leg and back discomfort and provides a barrier to cold floors. All four sides are beveled to minimize trip hazards.

| Code: | Size: | Code: | Size: |
|-----------|-----------|-----------|------------|
| EZ38-2736 | 27" x 36" | EZ38-3660 | 36" x 60" |
| EZ38-2760 | 27" x 60" | EZ38-312 | 36" x 144" |

DIAMOND STAT ANTI STATIC/ANTI FATIGUE MATS

Diamond Stat mats provide maximum effectiveness against static electricity. Each mat comes with a grounding cord. Constructed of durable vinyl plate top surface on a dense closed cel foam base giving the mat a total thickness of 9/16". In addition to antistatic, the Diamond Stat mats also provide excellent anti-fatigue support. Surface is textured for anti slip.



| Code: | Size: | Code: | Size: |
|-----------|-----------|----------|----------|
| 826DS2436 | 24" x 36" | 826DS312 | 3' X 12' |
| 826DS3660 | 36" x 60" | | |

PAIL PUMP

Metal self venting pail pumps. For use with five gallon pails.

Code:
M-45 5 Gallon Pail Pump

